



ULTRASUN
RECHARGE YOURSELF

PRODUCT LEAFLET



E4

2021-2022



AVAILABLE COLOURS E4-2 | E4-0



Dream White Metallic



Royal Blue Metallic

CONTROL SYSTEMS E4-2 | E4-0



Wireless Management System



Paytronic

* When placing the Ultrason E4 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.

* The dimensions indicate an open Ultrason E4.

E4-2 STANDARD EQUIPPED WITH



Solar Control



Electronic Ballasts¹



BodyCooler



Facial Lamps

E4-0 STANDARD EQUIPPED WITH



Solar Control



Electronic Ballasts



BodyCooler

E4-0 ADDITIONAL OPTIONS



CollaTan Lamps

¹ High-Pressure lamps excluded.

LAMP SPECIFICATIONS

ULTRASUN E4-2

NON-EU | UV4

Top Lamps	16 x Sunfit X 100W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500 High Pressure
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	16 x Sunfit X3 100W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500W High-Pressure
Maximum exposure time	20 minutes

ULTRASUN E4-0

NON-EU | UV4

Top Lamps	14 x Sunfit XL 120W E-Tronic 190 cm
Base Lamps	14 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	-
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	14 x Sunfit XL3 120W E-Tronic 190 cm
Base Lamps	14 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	-
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

ULTRASUN E4-2

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A 2,5 mm ² CEE
Power	4.850W
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹	165 kg
Minimum crated weight ¹	190 kg
Boxed dimensions	227 x 96 x 85 cm

ULTRASUN E4-0

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A 2,5 mm ² CEE
Power	4.200W
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹	160 kg
Minimum crated weight ¹	185 kg
Boxed dimensions	227 x 96 x 85 cm

¹ Minimum weight is based on an Ultrasun E4 with standard configuration. Machine specific weight information available on request.



Granaatstraat 6
7554 TR Hengelo
The Netherlands



+31 (0)74 2912215



info@ultrasun.nl



Ultrasuninternational.com